



NEW FAMILY!

NELLA

■ SPOTLIGHT

NELLA

NEW
Release

■ SPOTLIGHT

Mini **NELLA**



Mini **NELLA** Spike



The small sized **NELLA** spot light range is the perfect solution for lighting tasks in urban residential zones and modern resorts. The 200mm long ground spike allows hidden placement within foliage. The robust mounting flange with the integrated scale can be attached to a wide range of surfaces. The optical system generates color uniform good cutoff light beam. The IP66 rated construction, high rated ambient temperature of 50°C and wide input voltage range makes **NELLA** suitable for most countries. The luminaire is equipped with a pre-wired cable of 80cm length.




Specification

- Designed, Manufactured and Tested according to IEC 60598.
- LM6 Die Cast Aluminium body and components.
- Stainless steel screws.
- Luminaire top coated with UV stabilized polyester powder and cured.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.


Available Color

Black [replace the last 2 digits of ordering code with A1]

Mini NELLA



Mini NELLA Spike



NELLA

NEW!

SPOTLIGHT

Mini NELLA / 5907
Mini NELLA Spike / 5908

Luminaire Performance

410 lm
6 W
68 lm/W

Beam Options



Color Temperature

3000 K

Controller

On-Off

Accessories




Glare Shield Cap

NELLA

Product Code	Product Name	Luminaire Wattage	Beam	CCT	Luminaire Lumen	Controller
OD-5907	Mini NELLA	6 W	12°	3000 K	410 lm	On-Off
OD-5908	Mini NELLA Spike	6 W	12°	3000 K	410 lm	On-Off

Application Reference



Unilamp Co., Ltd.

461 Ramintra Road, Kannayao, Bangkok 10230 Thailand

Tel : +66[0]2 943 2420-1, +66[0]2 946 4170-1

Fax : +66[0]2 943 2419

unilamp@unilamp.co.th | online@unilamp.co.th



www.unilamp.co.th